

INDEX

March 2012

MOUSE (INBRED)

A/JCr
B10.A/Cr
B6LY5.2/Cr
BALB/cAnNCr
C3H/HeJCr
C3H/HeNCr MTV-
C3H/HeNCr MTV+
C57BL/6NCr
CBA/JCr
CBA/NCr
DBA/2NCr
FVB/NCr
SJL/JCr
C57BL/6-cBrd/cBrd/Cr
129S1/SvImJ/Cr – pending
SCID/NCr

MOUSE (HYBRID)

B6AJF1
B6C3F1
CB6F1
B6D2F1

MOUSE (OUTBRED)

Athymic NCr-*nu/nu*
Cr:NIH(S)
Cr:ORL Sencar

RAT (INBRED)

F344/NCr

RAT (OUTBRED)

Cr:NIH-*rnu*

MOUSE (INBRED)

A/JCr

AGE WKS	M	F	M	F
	Average	Range	Average	Range
3	8	5-11	8	5-11
4	12	10-16	12	9-16
5	15	12-18	14	11-18
6	18	15-20	15	12-18

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 6.0

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

B10.A/Cr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	14	11-16	11	7-14
4	19	17-20	15	10-17
5	22	20-23	16	14-18
6	23	20-24	17	14-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 7.0

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

B6LY5.2/Cr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	9	6-12	9	7-12
4	13	9-17	13	10-15
5	18	14-21	15	12-18
6	20	16-24	17	14-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 5.9

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

BALB/cAnNCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	11	8-13	10	6-13
4	14	10-19	13	10-17
5	17	14-20	16	14-18
6	20	16-21	17	14-20

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 6.1

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

C3H/HeJCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	12	8-14	11	8-14
4	16	13-18	13	11-17
5	18	15-20	15	12-18
6	19	16-21	17	14-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 5.1

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

C3H/HeNCr MTV-

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	11	8-15	10	6-13
4	16	11-18	14	10-17
5	20	16-23	17	13-20
6	21	17-24	19	15-21

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 7.0

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

C3H/HeNCr MTV+

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	12	9-13	10	8-11
4	16	14-18	13	11-16
5	19	17-21	16	13-18
6	21	18-23	17	14-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 5.9

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

C57BL/6-cBrd/cBrd/Cr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	10	8-12	11	8-11
4	16	12-18	14	12-17
5	20	16-20	17	15-19
6	21	18-24	18	16-20

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 7.6

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

C57BL/6NCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	9	6-14	9	5-13
4	14	10-19	13	9-16
5	18	15-21	15	13-17
6	20	17-23	18	14-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 7.0

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

CBA/JCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	11	8-16	11	7-14
4	16	11-21	15	11-19
5	20	16-23	18	14-22
6	22	20-25	19	16-22

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 5.1

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

CBA/NCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	13	10-17	11	8-14
4	17	13-19	13	10-15
5	21	17-23	16	13-17
6	22	18-25	17	14-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 5.0

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

DBA/2NCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	9	6-12	8	5-11
4	13	10-17	12	10-14
5	18	14-21	16	13-17
6	20	17-22	17	15-20

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 5.3

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

FVB/NCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	7	5-11	8	6-12
4	16	11-20	14	12-19
5	21	16-24	19	16-22
6	22	19-26	20	17-23

Animals are housed 20 per cage ♂

Animals are housed 25 per cage ♀

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 10.0

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

SJL/JCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	8	6-11	8	5-10
4	14	11-17	12	9-14
5	18	11-21	15	12-17
6	21	15-23	17	13-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 6.3

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (INBRED)

SCID/NCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	12	8-18	11	8-17
4	17	12-22	15	11-21
5	20	16-24	17	13-21
6	21	18-26	18	14-21

Animals are housed 8 per cage in IVC rack.

Feed: Purina 5066 (irradiated)

Water: Water bottle (microfiltration, chlorination)

Bedding: Aspen Shavings

Litter Average: 5.5

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (HYBRID)

B6AJF1/Cr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	12	9-14	12	9-14
4	18	15-20	16	13-18
5	20	17-22	17	15-19
6	22	20-25	17	16-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 7.5

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (HYBRID)

B6C3F1/Cr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	9	7-11	8	6-14
4	15	12-18	13	10-15
5	20	17-23	16	14-18
6	22	19-24	7	15-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 8.2

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (HYBRID)

CB6F1/Cr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	10	9-12	11	8-12
4	15	10-17	13	10-15
5	20	16-23	17	14-20
6	21	19-25	17	15-19

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 8.4

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (HYBRID)

B6D2F1/Cr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	10	8-12	10	8-12
4	17	14-20	14	12-17
5	21	19-24	17	14-19
6	23	20-26	18	15-21

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 8.6

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (OUTBRED)

Athymic NCr-nu/nu

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	9	6-14	9	5-14
4	18	12-23	16	10-20
5	24	19-29	20	16-24
6	26	22-31	21	17-24

Animals are housed 8 per cage in IVC rack.

Feed: Purina 5066 (irradiated)

Water: Water bottle (microfiltration, chlorination)

Bedding: Aspen Shavings

Litter Average: 5.1

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (OUTBRED)

Cr:NIH(S)

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	12	10-16	12	9-15
4	20	17-24	17	14-20
5	24	21-27	20	18-24
6	25	22-28	21	18-24

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 11.0

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

MOUSE (OUTBRED)

Cr:ORL Sencar

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	16	10-20	15	10-19
4	28	22-31	24	20-29
5	33	25-36	29	24-33
6	36	30-40	30	27-35

Animals are housed 25 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 11.3

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

RAT (INBRED)

F344/NCr

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	47	35-65	43	24-63
4	76	59-96	67	38-87
5	105	86-126	88	55-109
6	140	115-165	108	75-127

Animals are housed 6 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 6.2

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights

RAT (OUTBRED)

Cr:NIH-rnu

AGE WKS	M	M	F	F
	Average	Range	Average	Range
3	28	19-34	25	19-32
4	47	33-59	42	30-57
5	85	61-99	73	53-89
6	120	97-135	102	79-122

Animals are housed 6 per cage.

Feed: Purina 5L79

Water: Automatic (Chlorinated)

Bedding: Hardwood Chip

Litter Average: 4.2

¹ Weight data is specific only to animals reared at FRE under the specified conditions. It does not apply to animals at other facilities or other environmental conditions.

² Rodents may lose at least 10% of body weight due to shipment.
WORD:Charts:2012 Animal Weights